DEC STD 012-6 Digital Services EIC Numbering Conventions

DOCUMENT IDENTIFIER: A-DS-EL00012-06-0000 Rev D, 06-Dec-1991

ABSTRACT: This standard establishes the criteria for assignment and control of Unified Numbering System part numbers within Digital Services Engineering Integration Centers (EICs).

APPLICABILITY: This standard is mandatory for anyone assigning part numbers within Digital Services EIC.

STATUS: APPROVED 06-Dec-1991; use VTX SMC for current status.

This document is confidential and proprietary, and is the property of Digital Equipment Corporation. It is an unpublished work protected under applicable copyright laws.

© Digital Equipment Corporation. 1989, 1991. All rights reserved.

DEC STD 012-6 Digital Services EIC Numbering Conventions

DOCUMENT IDENTIFIER: A-DS-EL00012-06-0000 Rev D, 06-Dec-1991

REVISION HISTORY:	Rev A,	27-Aug-1981	
	Rev B,	04-Mar-1982	ECO Number MLO01
	Rev C,	01-Mar-1989	ECO Number CTS02
	Rev D,	06-Dec-1991	ECO Number NRO03

Document Management Category:	Part and Documentation Identification (TSP)
Responsible Department:	Digital Services Solutions Engineering (DSSE)
Responsible Person:	Joseph M. Kurta

APPROVAL: This document has been reviewed and recommended for approval by the General Review group for its category.

Joseph M. Kurta - DSSE QA and Standards Manager

Eric Williams - Standards Process Manager

Direct requests for further information to:

Joseph Kurta
Use $ VTX ELF for the latest location information.

Use VTX SMC to order copies of this document from Standards and Methods Control. Send distribution questions to JOKUR::SMC or call DTN: 234-4423.

The DIGITAL logo is a trademark of Digital Equipment Corporation.

CONTENTS

1 INTRODUCTION 1
1.1 PURPOSE 1
1.2 SCOPE 1
1.3 RESPONSIBILITIES 1
1.3.1 Advisory Committee 1
1.3.2 Waivers 1
1.3.3 Digital Services Engineering Integration Center Product Managers 1
1.3.4 Engineering Integration Center Engineering Managers 1
1.3.5 Other 1
1.4 DEFINITIONS 2
1.4.1 Part Number 2
1.4.2 Part Identifier 2
1.4.3 Product Categories 2

2 REQUIREMENTS 3

3 EIC LOCATION-SPECIFIC PACKAGED SYSTEM NUMBERING 4

4 EIC LOCATION-SPECIFIC PART AND OPTION IDENTIFIERS 5
4.1 METHOD 1: PART CLASS PREFIX TO AN EXISTING HARDWARE OPTION . . . 6
4.2 METHOD 2: PART CLASS PREFIX TO Q OR Z OPTION NUMBER 6
4.3 METHOD 3: EIC BASIC HARDWARE/NONHARDWARE NUMBERING FORMAT 7
4.3.1 Part Classes—Positions 1 and 2 7
4.3.2 Unique Item Identifier—Positions 3 Through 6 9
4.3.3 Item Type Identifier—Position 7 11
4.3.4 Variation Identifier—Positions 8 and 9 12

5 THIRD-PARTY PRODUCT NUMBERING 12
5.1 EIC LOCATION-SPECIFIC THIRD-PARTY NUMBERING 13
5.2 GOVERNMENT THIRD-PARTY NUMBERING 13

6 ASSETS PART NUMBERING 14

Appendix A REFERENCED DOCUMENTS 15

A.1 EL-Class Digital Documents 15

A.2 Other Digital Documents 15

A.3 Ordering Information 15

FIGURES

1 EIC Location-Specific Packaged Systems Numbering Format 4
2 EIC Specific Variations of DEC STD 012-4, Revision E, Option Numbers 6
3 EIC Basic Hardware/Nonhardware Numbering Format 7
4 EIC Location-Specific Third-Party Part Numbering Format 13
5 EIC Government Third-Party Part Numbering Format 13
6 ASSETS Q2-Class Part Numbering Format 14

TABLES

1 Part Classes for EIC Packaged Systems 4
2 Inactive Part Classes—Not for New Assignments 5
3 Part Classes for Hardware 7
4 Part Classes for Nonhardware (Software, Services, and Documentation) 8
5 Inactive Part Classes—Not for New Assignments 8
6 Unique Item Identifier for Hardware 2x Classes 9
7 Unique Item Identifier for Nonhardware Yx Classes 10

1 INTRODUCTION

1.1 PURPOSE

This section of DEC STD 012 establishes the criteria for assigning part identifiers within Digital Services Engineering Integration Centers (DS EIC).

1.2 SCOPE

The criteria in this document focus on identifying the general criteria and responsibilities for determining when to use conventional part identifiers or special part identifiers beginning with CA - CZ, Q2, Y0 - Y3, YA - YZ, and 2A - 2Z for Digital, third-party, and ASSETS library numbering.

Both active and inactive part classes that have specific application to Digital Services (DS) Engineering, and its predecessor organizations, will be listed. If, however, detailed format and numbering conventions are already documented in *DEC STD 012-0 Part Identification Standard* or a related standard, those documents will be referenced rather than restated.

1.3 RESPONSIBILITIES

1.3.1 Advisory Committee

The DS Solutions Engineering Headquarters Staff and EIC Engineering Managers make up the Advisory Committee for this section of DEC STD 012. For a list of members, contact DSSE Quality Assurance and Standards, HQENG::KURTA.

1.3.2 Waivers

Requested waivers to this standard must follow the waiver process described in *DEC STD 066-2 Waivers to Digital Design Standards*.

1.3.3 Digital Services Engineering Integration Center Product Managers

Product managers are responsible for meeting process requirements for assignment and entry of part number information into Corporate repositories in accordance with applicable Digital standards.

1.3.4 Engineering Integration Center Engineering Managers

EIC Engineering managers shall be responsible for providing a central focus for the assignment, approval process, and maintenance associated with EIC location-specific part numbers for their location, in accordance with the requirements of this standard.

1.3.5 Other

Specific DS personnel who are responsible for assignment, approval, and management of specific part classes are identified in the supporting process documentation referenced in the discussion of those part classes in this standard.

1.4 DEFINITIONS

1.4.1 Part Number

A part number is a specifically formatted string of characters required by DEC STD 012-0 to identify all parts, products, services, or literature that must be controlled within Digital Equipment Corporation and its subsidiaries. Part numbers are in the 2-5-2 format in accordance with DEC STD 012-0.

1.4.2 Part Identifier

A part identifier refers to a part number and its revision. Part identifiers are in the form 2-5-2.4 in accordance with *DEC STD 012-0 Part Identification Standard*.

1.4.3 Product Categories

DS Engineering Integration Centers (EICs) design, develop, integrate, and deliver solutions to match our customers' unique needs using both Digital and third-party hardware, software, and services. DS also "pulls through" hardware and software products and platforms from selected custom solutions for reuse and availability to other applications.

DS products are assigned specific product categories consistent with differences in development, manufacturability, and product support requirements; and projected volumes and market focus for those products. These differences require differences in part number assignment.

Every DS product is identified as either a standard product or a custom product—depending on whether it is developed for sale to many yet to be defined customers or for sale to a specific known customer—and assigned a corresponding support category. Product support categories—A, B, or C – are assigned, based on product volumes, and the geographic dispersion and number of customers. The product support category is generally determined by the product manager and approved by the product team by the end of Phase 0.

The three product support categories for DS products are:

Category A: Fully supported worldwide product with manufacturing, marketing, and service capacity to support worldwide sale of product.

Category B: Fully supported product within a specified geographic area or country with manufacturing, marketing, and service capacity to support sales of product in the geographic area or country.

Category C: Low volume product or product for a specific customer, with service and support specified for each installation.

Category B products sold outside of the specified geography or sold to customers (OEMs) for shipment outside the specified geography are treated as Category C products.

2 REQUIREMENTS

DS EIC will use the Digital Unified Numbering Code (UNC) methodology for part numbers defined in DEC STD 012-0 and related sections as follows:

Category A and Category B standard products to appear in the Digital Price Book and or Option/Module List will be assigned part numbers in accordance with the following standards:

- *DEC STD 012-0 Part Identification Standard* for options and modules.
- *DEC STD 012-3 Packaged System Identification Standard* for packaged systems.

NOTE

Where the development is part of Central Engineering strategy, DS EIC product management will work with existing-product product management to define the feasibility and benefit of assigning a variant to an existing number or other related number prior to the formal request from the Chief Engineer's Office (CEO).

- *DEC STD 012-4 Unified Numbering Code (UNC) - Software Numbering Conventions* for Software Supply Business (SBB) distributed products.
- *DEC STD 012-6 Digital Services EIC Numbering Conventions*, EIC location-specific numbering for other items required to be in the price book but not covered under previously mentioned standards. An example would be cables and cabinet kits for Category B products.

Custom Category A, B, or C and any Category A and B standard product *not* to appear in the Digital Price Book and or Option/Module List will be assigned part numbers in accordance with the following standards:

- DEC STD 012-3 EIC location-specific packaged system numbers for packaged systems. See head 3 of this standard.
- EIC location-specific hardware numbers for hardware products not covered by DEC STD 012-3 in accordance with the methods in head 4 of this standard.
- DEC STD 012-4 for Software Supply Business (SSB) distributed products.
- DEC STD 012-4 Q2 class and QS class for products and information to be made available through the ASSETS library system. See head 6 of this standard.
- DEC STD 012-6 EIC location-specific numbering for software, services, Formal Management Directives (FMD) and other nonhardware numbers for products not covered by DEC STD 012-4 in accordance with head 4 of this standard.
- Purchased parts will be assigned appropriate *DEC STD 012-2 Unified Numbering Code for Part Identifier Class Codes* part numbers in accordance with the procedure for purchased parts in *DEC STD 156-0 Introducing New Purchased Parts and Maintaining Purchased Parts Information: Standard Procedures*. Specific procedural details unique to EICs are documented in *EIC Purchased Part Introduction*.
- For location-specific packaged systems, see head 3 of this standard.
- For products created or distributed through Demand Print Services, an FW-class part number will be assigned by Demand Print Services.

All product part numbers that are to be handled by non-EIC related Manufacturing, spared by Customer Services Logistics, or be used by organizations outside EICs must be entered into the Automated Part and Product Information Exchange (APPIX) System , and have a Bill of Materials (BOM) on that system. A marketing description alone is not sufficient.

3 EIC LOCATION-SPECIFIC PACKAGED SYSTEM NUMBERING

DEC STD 012-3 Packaged System Identification Standard defines the following part classes for EIC location-specific packaged system numbering.

Table 1: Part Classes for EIC Packaged Systems

Part Class	EIC Organization
CA	GIA South Pacific Region (SPR) EIC - Sydney, Australia
CB	GIA Far East Region (FER) EIC - Seoul, Korea
CC	GIA Canada EIC - Kanata, Canada
CE	European Area Services EIC - Solent Business Park, Fareham, UK
CG	European Area Manufacturing EIC - Munich, Germany
CJ	GIA Japan EIC - Tokyo, Japan
CL	U.S. Area Telecommunications and Network EIC - Merrimack, NH, USA
CP	European Area Telecommunications and Network EIC - Annecy, France
CR	US Area Services EIC - Merrimack, NH, USA
CS	EIC without an assigned part Class
CT	U.S. Area Discrete Manufacturing EIC - Merrimack, NH, USA
CV	European Area Cross Industries EIC - Valbonne, France

EICs use a variation of DEC STD 012-3, Method 3 for assignment of packaged system numbering using the format in Figure 1. The specific codes used in the processor fields are maintained in the *EIC Part Numbering Process Guide* maintained by the DSSE QA and Standards Manager in conjunction with the Chief Engineer's Office.

Figure 1: EIC Location-Specific Packaged Systems Numbering Format


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
To be assigned by EIC site
Processor (DEC STD 012–3 subhead 5.1)
Part Class

Those product managers who require a packaged system part number for a quote shall prepare and assign the number themselves or with the help of the part number coordinator for their EIC using the conventions in the *EIC Part Numbering Process Guide*. Prior to use in a quote, they are responsible for ensuring that the number has not previously been entered into APPIX for another part.

When the number is required for an order it will be submitted to the Chief Engineer, or others in the Chief Engineer's Office, for entry into the Option/Module List and into APPIX.

NOTE

This variation to DEC STD 012-3, Method 3 has replaced DEC STD 012-3 Method 1 for EIC location-specific packaged as of May, 1990.

Inactive Part Classes

The part classes listed in Table 2 are not to be used for new part assignments.

Table 2: Inactive Part Classes—Not for New Assignments

Part Class	Organization
SS	Unstructured DEC STD 012-3 for EIC, formerly CSS Systems
76-06500 to 76-06700	CSS Kanata numbering prior to 01-Jan-1978
76-10001 to 76-11001	CSS Munich numbering prior to 01-Jan-1978
76-20001 to 76-29999	CSS California (no longer in existence)
76-70000 to 76-99999	CSS Reading numbering prior to 01-Jan-1978

4 EIC LOCATION-SPECIFIC PART AND OPTION IDENTIFIERS

EIC products that are not assigned DEC STD 012-0 part or option numbers, DEC STD 012-3 packaged system numbers, or DEC STD 012-4 software numbers, and will not appear in the Option/Module List or Digital Price Book can be assigned an EIC location-specific part number. Consideration should always be given to use of DEC STD 012-0, DEC STD 012-3, and DEC STD 012-4 numbering for these products when required by product management or marketing.

EIC location-specific numbers are assigned and controlled by the engineering organization within the EIC location, using one of the following methods. Part of this responsibility is to enter required information into APPIX and ensure that the number assignment is not a duplicate of an existing number in APPIX and related Master Parts Files required by the business.

EIC location-specific part numbers for FMD and PMP (Project Management Program) related documentation do not need to be entered into APPIX because their use is contained within EIC and not entered into any management information system.

4.1 METHOD 1: PART CLASS PREFIX TO AN EXISTING HARDWARE OPTION

Method 1 entails use of the EIC location part class and the basic identifier and variation for an existing hardware option. This convention is applicable when the EIC product is a customized or value-added version of an existing option.

When more than one part number for a given option is needed, then the variant field of the part number should be assigned a numeric variant, starting with -01, -02, and so forth, in place of the existing option variant.

Example:

Option	DELQA-M
1st U.S. Area T&N EIC version	2L-DELQA-M
Subsequent version	2L-DELQA-01

Acceptability for use of this method with a particular option shall be confirmed through the Chief Engineer's Office.

4.2 METHOD 2: PART CLASS PREFIX TO Q OR Z OPTION NUMBER

Method 2 entails use of an EIC location-specific nonhardware part class prefix with an historical DEC STD 012-4 (revision E) space-space class software part number (-Qxxxx-xx) when the EIC product has some relationship to the existing Q or Z option. Method 3 under subhead 4.3 is preferred for new software or diagnostics (DEC STD 012-4, revision L).

The conventions shown in Figure 2 are used with DEC STD 012-4, revision E, Q or Z option numbers.

Figure 2: EIC Specific Variations of DEC STD 012-4, Revision E, Option Numbers


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
Media Identifier
(DEC STD 012–4, subhead 4.1.8)
Licenses/services Identifier
(DEC STD 012–4, subhead 4.1.7)
Unique Product Identifier
Language/CPU Identifier
(DEC STD 012–4, subhead 4.1.4)
CPU Identifier (DEC STD 012–4, subhead 4.1.3)
Q Software Type Identifer
Part Class (DEC STD 012–6, subhead 4.3.1)

4.3 METHOD 3: EIC BASIC HARDWARE/NONHARDWARE NUMBERING FORMAT

Figure 3: EIC Basic Hardware/Nonhardware Numbering Format


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
Variation Identifier (4.3.4)
Item Type Identifier (4.3.3)
Unique Item Identifier (4.3.2)
Part Class (4.3.1)

The definitions of specific fields have been updated to be consistent with changes introduced with DEC STD 012-4 numbering.

4.3.1 Part Classes—Positions 1 and 2

The following part classes are used for EIC location-specific part number assignment. Inactive part classes have been used in the past and may appear in some systems; they are not to be used for new assignments.

Table 3: Part Classes for Hardware

Part Class	EIC Organization
2A	GIA South Pacific Region (SPR) EIC - Sydney, Australia
2B	GIA Far East Region (FER) EIC - Seoul, Korea
2C	GIA Canada EIC - Kanata, Canada
2E	European Area Services EIC - Solent Business Park, Fareham, UK
2G	European Area Manufacturing EIC - Munich, Germany
2J	GIA Japan EIC - Tokyo, Japan
2L	U.S. Area Telecommunications and Network EIC - Merrimack, NH, USA
2P	European Area Telecommunications and Network EIC - Annecy, France
2R	US Area Services EIC - Merrimack, NH, USA
2S	EICs without an assigned part Class Formerly Stockholm, Sweden
2T	U.S. Area Discrete Manufacturing EIC - Merrimack, NH, USA
2V	European Area Cross Industries EIC - Valbonne, France

Table 4: Part Classes for Nonhardware (Software, Services, and Documentation)

Part Class	EIC Organization
Y0	DSSE Corporate (FMD and PMP documentation only)
Y1	U.S. Area (FMD only)
Y2	European Area (FMD only)
Y3	General International Area (FMD only)
YA	GIA South Pacific Region (SPR) EIC - Sydney, Australia
YB	GIA Far East Region (FER) EIC - Seoul, Korea
YC	GIA Canada EIC - Kanata, Canada
YE	European Area Services EIC - Solent Business Park, Fareham, UK
YG	European Area Manufacturing EIC - Munich, Germany
YJ	GIA Japan EIC - Tokyo, Japan
YL	U.S. Area Telecommunications and Network EIC - Merrimack, NH, USA
YP	European Area Telecommunications and Network EIC - Annecy, France
YR	U.S. Area Services EIC - Merrimack, NH, USA
YS	U.S. Area Cross Industries EIC - Merrimack, NH, USA
YT	U.S. Area Discrete Manufacturing EIC - Merrimack, NH, USA
YV	European Area Cross Industries EIC - Valbonne, France

Table 5: Inactive Part Classes—Not for New Assignments

Part Class	Organization
2D,YD	Old CSS Country Development Region (CDR)
2K,YK	Old CSS Reading, United Kingdom
2M,YM	Old CSS (includes groups that were YL,YR, and YT)
2W,YW	Old CSS Costa Mesa, CA, USA (Western Region)

4.3.2 Unique Item Identifier—Positions 3 Through 6

The 4-character unique item identifier is numeric or alphanumeric. It groups items into the following categories and identifier sequence:

Table 6: Unique Item Identifier for Hardware 2x Classes

Identifier	Category
1000 - 9ZZZ	Purchased parts (See Note)
A000 - AZZZ	Independent documents
C000 - CZZZ	Options
E000 - EZZZ	Finished items
H000 - HZZZ	Fabrications and assemblies
M000 - MZZZ	Modules (See Note)
W000 - WZZZ	Spares

NOTE

New purchased parts to be used in Category A or U.S. Area Category B or C products should use DEC STD 012-2 part classes 10 through 49 (excluding 29, 37, and 41), 57, 90, 91, and 99 and the process for entry of the parts and cost information into MPF and APPIX found in the EIC Purchased Part Introduction Guide.

Category B and C products for other geographies may use the traditional 2x-class parts, rather than part classes 10 through 49, and so forth, when response to a specific customer commitment dictates and the Manufacturing organization delivering the product agrees to use of these parts. Parts in the 2x-class should not be used if migration of the product to another location or geography is planned.

Table 7: Unique Item Identifier for Nonhardware Yx Classes

Software	Category
A000 - AZZZ	Software documentation, media, and other software kits (see DEC STD 012-4, QA class)
B000 - BZZZ	Bundled software (see DEC STD 012-4, QB class)
C000 - CZZZ	Software components and subassemblies (See DEC STD 012-4 QC class)
L000 - LZZZ	Licenses (see DEC STD 012-4, QL and QP classes)
P000 - PZZZ	Application packages
Q000 - QZZZ	Country information packages (see DEC STD 012-4, QQ class)
R000 - RZZZ	Operating systems
T000 - TZZZ	Handlers
Z000 - ZZZZ	Hardware information kits and diagnostics (see DEC STD 012-4 QX, QY, and QZ classes)
Services	**Category**
S000 - SZZZ	To be defined by EIC location
Documentation Items	**Category**
B000 - BZZZ	FMD and supporting documents
D000 - DZZZ	PMP training documentation

The letters I and O are not used in the unique item identifier.

The symbol 0 may not be used as the first character of the independent item identifier.

Sequences starting with the characters F, J, K, N, U, V, X, and Y are reserved for future application. They cannot be used without update of this standard.

For the three characters following the category identifier, the letters of the alphabet are used as if they were the next numbers after 9. For every place value, the progression is as follows: 0, 1, 2, ...9, A, B, ...Z.

Therefore (where X represents the category): X010,X011,...X019, X01A, X01B,...X01Z, X020,...X02Z, X030,...X0ZZ, X100, X101,...X10Z, X110, and so forth.

NOTE

The unique item identifier G000—G222 is assigned for integration of part numbers from DESISCO, a wholly-owned subsidiary of Digital, into the ZE- and YE- part classes, starting 07-Oct-1991.

4.3.3 Item Type Identifier—Position 7

The item type identifier is a single letter that indicates whether the product is an independent item or one of several kinds of supporting items.

Independent items are those that are marketed in their own right, such as purchased parts, options, and application programs. EIC products such as drawings or manuals that describe an independent item are supporting items. They exist in connection with the independent item.

Item type identifiers are:

A: Independent item
B: Drawing or print set supporting an independent item
C: Documentation, manuals, or fliers supporting an independent item
D: Binary version of a source program supporting an independent item
E: Listing of a program supporting an independent item
K: Kit of parts, documentation, diagnostics, and so forth, supporting an independent item
Z: Unfinished item

Software part numbers (with a unique item identifier beginning with A, B, C, L, P, Q, R, T, and Z) use the item type to either identify a specific attribute important to that product.

This field is normally used to identify the language component of a software product using DEC STD 012-4 language codes. If an EIC location has a more important attribute to identify, then this application must be identified and documented within their location.

Part numbers for FMD use the item type to identify the type of document:

F: FMD (DSSE FMD)
S: Other supporting document (DSSE FMD)
P: Policy (CSS FMD)
R: Procedure (CSS FMD)
S: Standard (CSS FMD)
G: Guideline (CSS FMD)

Part numbers for PMP documentation use the item type to identify the type of document:

H: Handbook
T: Training guide
W: Workbook

In the EIC basic part identification conventions, the unique item identifier (characters in position 3-6) are the same for an independent item and its related supporting items. Thus, these related items share a unique item identifier. Cross-referencing among the items that make up a complete option (for example, option, print set, manual, and diagnostics) can be greatly simplified.

Example: For the LPR20-AA Remote Line Printer Subsystem:

YM-C102B-01	print set
YM-C102C-00	description
YM-Z102D-00	diagnostic tape
YM-Z102E-00	diagnostic tape listing

4.3.4 Variation Identifier—Positions 8 and 9

The 2-character variation identifier field is used to provide further definition to the part class and basic part number. Assignment depends on the specific aspects of an EIC item being defined.

DEC STD 012-0, DEC STD 012-3, and DEC STD 012-4 define the conventions to be used with part number assignment conventions described in those standards.

For Methods 1 and 2 part numbers, where a part class prefix is used with an existing hardware or software option, the variation for the option is used as described in subhead 4.1 and 4.2 of this document.

For Method 3 nonsoftware part numbers, the variation identifier is assigned in accordance with the guidelines of DEC STD 012-0. This field is used to distinguish among similar versions of a given part or product.

For cables, the variation identifier is assigned according to the requirements described in *DEC STD 022-0 Cable and Harness Documentation: Part Identification Requirements*.

For EIC software that have a unique item identifier beginning with A, B, C, L, Q, and Z, the conventions for variation identifier conventions used for DEC STD 012-4 class QA, QB, QC, QL, QQ, and QZ are used. See DEC STD 012-4.

5 THIRD-PARTY PRODUCT NUMBERING

EICs use two variations of DEC STD 012-3 Method 3 for assignment of part numbers to third-party products.

- EIC location-specific numbering defined in Figure 4
- Government third-party numbering defined in Figure 5

The specific codes used in the vendor identifier fields are maintained in the *EIC Part Numbering Guide* and *GSG Third-Party Numbering Guide*, maintained by the DSSE QA and Standards Manager in conjunction with the Chief Engineer's Office.

5.1 EIC LOCATION-SPECIFIC THIRD-PARTY NUMBERING

Refer to Figure 4.

Figure 4: EIC Location-Specific Third-Party Part Numbering Format


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
To be assigned by EIC site
Vendor Identifier
Part Class (Cx, 2X, and Yx part classes)

Those product managers who require an EIC location-specific third-party number for a quote will prepare and assign the number themselves or with the help of the part number coordinator for their EIC using the conventions in the *EIC Part Numbering Process Guide*. Prior to use in a quote, product managers have the responsibility to ensure the number has not already been entered into APPIX.

When the number is required for an order, it will be submitted to the group appropriate for the part class used.

5.2 GOVERNMENT THIRD-PARTY NUMBERING

Refer to Figure 5.

Figure 5: EIC Government Third-Party Part Numbering Format


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
To be assigned by
Govt. Third–Party P/N Coordinator
Hardware, Software, Service Category
Supplier Identifier
Part Class (2N for Government Third Party)

All requests, assignment, and processing of government third-party part numbers will be managed by the Government Third-Party Part Number Coordinator as documented in the *GSG Third-Party Numbering Guide*.

6 ASSETS PART NUMBERING

Part numbers to kit component and packages to be entered into the ASSETS library system shall be assigned Q2-class part numbers and use the following format:

Figure 6: ASSETS Q2-Class Part Numbering Format


Character Positions
1 2 – 3 4 5 6 7 – 8 9 . 10 11 12 13
Revision
See DEC STD 012–0
ASSET Type and related attributes
Language (DEC STD 012–4 code)
Unique ASSETS Identifier (UAI)
Part Class (Q2 for ASSETS)

Part numbers to specify installation and orientation service delivered for ASSETS packages shall be assigned using the QS part class in *DEC STD 012-4 Unified Numbering Code (UNC) - Software Numbering Conventions*

The Global Application Project Services (APS) group is responsible for the assignment of the ASSETS part numbers.

Refer to *ASSETS Part Numbering Conventions* and *Guideline for Use of Q2-Part Class for Quoting ASSETS Software* for specific codes used in each of the fields for the Q2-class and other process details.

APPENDIX A REFERENCED DOCUMENTS

A.1 EL-Class Digital Documents

EL-Class Number	Document Title
EL-00012-00	*DEC STD 012-0 Part Identification Standard*
EL-00012-02	*DEC STD 012-2 Unified Numbering Code for Part Identifier Class Codes*
EL-00012-03	*DEC STD 012-3 Packaged System Identification Standard*
EL-00012-04	*DEC STD 012-4 Unified Numbering Code (UNC) - Software Numbering Conventions*
EL-00022-00	*DEC STD 022-0 Cable and Harness Documentation: Part Identification Requirements*
EL-00066-02	*DEC STD 066-2 Waivers to Digital Design Standards*
EL-00156-00	*DEC STD 156-0 Introducing New Purchased Parts and Maintaining Purchased Parts Information: Standard Procedures*

Use VTX SMC to order copies of EL-class documents from Standards and Methods Control. Send distribution questions to JOKUR::SMC or call DTN: 234-4423.

A.2 Other Digital Documents

Document Number	Document Title
Y0-B013S-01	*EIC Part Numbering Process Guide*
Y0-B013S-02	*GSG Third Party Numbering Guide*
Y0-B013S-03	*ASSETS Part Numbering Conventions*
Y0-B013S-04	*EIC Purchased Part Introduction Guide*
Y0-B013S-05	*Guideline for Use of Q2-Part Class for Quoting ASSETS Software*

A.3 Ordering Information

Digital Services Engineering documents are available in electronic form from the DSSE public account at BUFFER::DSSE_FSD.

Further information about the current status of DS Engineering documents can be obtained by contacting:

DSSE QA and Standards

MKO2-2/E11, DTN: 264-6565, HQENG::KURTA

```
+---------------------------------------------------------------------+
|                          READER COMMENTS                            |
|                                                                     |
| Your  comments  and suggestions  will help  Standards and Methods   |
| Control improve their services and documents.                       |
+---------------------------------------------------------------------+
```

Did you request this document? _____ If so, did it arrive within a satisfactory period of time? _____ Please comment.

What are your impressions of this document? Consider format, organization, completeness, readability, and illustrations.

————————————**FOLD ON THIS LINE**———————————————————————— -

Did you find technical or clerical errors in this document? If so, please specify the page number(s) and the error(s).

Are the instructions for the update package clear? _____
Was an index available? _____ If not, is one needed? _____
Do you have other suggestions for improving this document?

The following information is optional:

Name _____ Mailstop _____

Department _____ Node _____

Send your comments to JOKUR::PROJECTS, or fold, staple, and send this page through interoffice mail to:

```
+------------------------------+
|       READERS' COMMENTS      |
| STANDARDS AND METHODS CONTROL |
|           NRO4/D4            |
+------------------------------+
```